

X1/X2

UNIVERSAL KIT FOR FRAMELESS DOORS

XINIX[®]
DOOR SYSTEMS

INSTALLATIE HANDLEIDING - GUIDE D'INSTALLATION
INSTALLATION MANUAL - INSTALLATIONSANLEITUNG




X1 - UNIVERSAL KIT FOR FRAMELESS DOORS - 40/50 mm


EU RECHTS | DROIT | RIGHT




Trekken EU rechts
Tirant EU droit
Pull EU right
Ziehen DIN Rechts



EU LINKS | GAUCHE | LEFT



Trekken EU links
Tirant EU gauche
Pull EU left
Ziehen DIN Links



DEURFRAME | CADRE DE PORTE | DOOR FRAME | UNIVERSALZARGE

1 Staanders


Montants
Uprights
Pfoften

2 Kopstuk + afstandhouders

Traverse + entretoises
Upper rail + spacers
Querleiste + Abstandhalter

3 Afwerkingsprofiel XA-FIN *

Profil de finition *
Finition profile *
Fertigungsprofil *




* Optioneel - Option
En option - Option
XA-FIN 2200 x 120 x 9
XA-FIN 2600 x 120 x 9
XA-FIN 3000 x 120 x 9
XA-FIN 2200 x 260 x 9
XA-FIN 3000 x 260 x 9

XINNIX SELECTION DEURBESLAG | QUINCAILLERIE | HARDWARE | BESCHLÄGE




X1 - EXPLODED VIEW




XP50[®] - UNIVERSAL INTEGRATED XINNIX PLINTH

- a** X1
- b** XP50 + XP50-Cover
- c** XP50-C001
- d** XP50-A045 (+45° / -45°)



X1 - UNIVERSAL KIT FOR FRAMELESS DOORS - 40/50 mm

METAL STUD INSTALLATION



A Metal Stud + gipsplaat
Métal Stud + carton-plâtre
Metal Stud + plasterboard
Ständerwerk + Beplankung

B Xinnix profiel X1
Profilé Xinnix X1
Xinnix profile X1
Xinnix Universalzarge X1

C Slagdichting
Joint d'étanchéité
Gasket
Anschlagdichtung


D Stelschroef
Vis de réglage
Adjustement screw
Stellschrauben

E Afwerkingsprofiel XA-FIN (optioneel)
Profilé de finition XA-FIN (option)
Finishing profile XA-FIN (optional)
Fertigungsprofil Gipskarton mit Verputzecke XA-FIN (optional)

F PU schuim (*Low Expansion*)
Mousse PU (*Low Expansion*)
PU-foam (*Low Expansion*)
Pu Schaum (*Low Expansion*)


G Papierpand P50 (niet meegeleverd)
Bande de papier P50 (non inclus)
Paper tape P50 (not included)
Papierband P50 (nicht enthalten)

H Opvullaag - Jointfiller Vario, ProMix Premium of gelijkaardig
Couche de finition - Jointfiller Vario, ProMix Medium ou similaire
Finishing layer - Jointfiller Vario, ProMix Medium or equivalent
Verspachtelung - Rigips Vario, Knauf Uniflott oder gleichwertig



X1 - UNIVERSAL KIT FOR FRAMELESS DOORS - 40/50 mm

BRICK WALL INSTALLATION



A Gemetste muur + bepleistering
Mur maçonnerie + plafonnage
Brick wall + plastering
Mauerwerk + Verputzung

B Xinnix profiel X1
Profilé Xinnix X1
Xinnix profile X1
Xinnix Universalzarge X1

C Slagdichting
Joint d'étanchéité
Gasket
Anschlagdichtung




D Stelschroef
Vis de réglage
Adjustement screw
Stellschrauben

E Afwerkingsprofiel XA-FIN (optioneel)
Profilé de finition XA-FIN (option)
Finishing profile XA-FIN (optional)
Fertigungsprofil Gipskarton mit Verputzecke XA-FIN (optional)

F PU schuim (*Low Expansion*)
Mousse PU (*Low Expansion*)
PU-foam (*Low Expansion*)
Pu Schaum (*Low Expansion*)

G Glasvezel Gitex (niet meegeleverd)
Fibre de verre Gitex (non inclus)
Fiberglass Gitex (not included)
Abdichtungsband Gewebe (nicht enthalten)

H Opvullaag - Jointfiller Vario, ProMix Premium of gelijkaardig
Couche de finition - Jointfiller Vario, ProMix Medium ou similaire
Finishing layer - Jointfiller Vario, ProMix Medium or equivalent
Verspachtelung - Rigips Vario, Knauf Uniflott oder gleichwertig



X240 - UNIVERSAL KIT FOR DOOR THICKNESS - 40/50 mm

X245 - UNIVERSAL KIT FOR DOOR THICKNESS - 44-45/55 mm

X250 - UNIVERSAL KIT FOR DOOR THICKNESS - 50/60 mm

EU RECHTS | DROIT | RIGHT



Trekken EU rechts
Tirant EU droit
Pull EU right
Ziehen DIN Rechts

Duwen EU rechts
Poussant EU droit
Push EU right
Drücken DIN Rechts



EU LINKS | GAUCHE | LEFT




Trekken EU links
Tirant EU gauche
Pull EU left
Ziehen DIN Links

Duwen EU links
Poussant EU gauche
Push EU left
Drücken DIN Links



DEURFRAME | CADRE DE PORTE | DOOR FRAME | UNIVERSALZARGE

- 1** Staanders + bevestigingsprofielen
 Montants + profilés de fixation
 Uprights + fixing profiles
 Ständer + Befestigungsprofile
- 2** Kopstuk + afstandhouders
 Traverse + entretoises
 Upper rail + spacers
 Querleiste + Abstandhalter
- 3** Afwerkingsprofiel XA-FIN *
 Profil de finition *
 Finition profile *
 Fertigungsprofil *



* Optioneel - Option
 En option - Option
 XA-FIN 2200 x 120 x 9
 XA-FIN 2600 x 120 x 9
 XA-FIN 3000 x 120 x 9
 XA-FIN 2200 x 260 x 9
 XA-FIN 3000 x 260 x 9


XINNIX SELECTION DEURBESLAG | QUINCAILLERIE | HARDWARE | BESCHLÄGE



X240 - UNIVERSAL KIT FOR DOOR THICKNESS - 40/50 mm


X245 - UNIVERSAL KIT FOR DOOR THICKNESS - 44-45/55 mm

X250 - UNIVERSAL KIT FOR DOOR THICKNESS - 50/60 mm



XP50[®] - UNIVERSAL INTEGRATED XINNIX PLINTH

- a** X2
- b** XP50-C002
- c** XP50 + XP50-Cover
- d** XP50-C001
- e** XP50-A045 (+45° / -45°)




X240 - UNIVERSAL KIT FOR DOOR THICKNESS - 40/50 mm


X245 - UNIVERSAL KIT FOR DOOR THICKNESS - 44-45/55 mm

X250 - UNIVERSAL KIT FOR DOOR THICKNESS - 50/60 mm

METAL STUD INSTALLATION



- A** Metal Stud + gipsplaat
Métal Stud + carton-plâtre
Metal Stud + plasterboard
Ständerwerk + Beplankung
- B** Xinnix profiel X2
Profilé Xinnix X2
Xinnix profile X2
Xinnix Universalzarge X2
- C** Slagdichting
Joint d'étanchéité
Gasket
Anschlagdichtung
- D** FU/ FUL profiel met stelschroeven
Profil de montage FU/ FUL avec des vis de fixation
Fixing profile FU/ FUL with adjustment screws
Montageprofil FU/FUL mit Stellschrauben
- E** Afwerkingsprofiel XA-FIN (optioneel)
Profilé de finition XA-FIN (option)
Finishing profile XA-FIN (optional)
Fertigungsprofil Gipskarton mit Verputzecke XA-FIN (optional)
- F** PU schuim (Low Expansion)
Mousse PU (Low Expansion)
PU-foam (Low Expansion)
Pu Schaum (Low Expansion)
- G** Papierpand P50 (niet meegeleverd)
Bande de papier P50 (non inclus)
Paper tape P50 (not included)
Papierband P50 (nicht enthalten)
- H** Opvullaag - Jointfiller Vario, ProMix Premium of gelijkaardig
Couche de finition - Jointfiller Vario, ProMix Medium ou similaire
Finishing layer - Jointfiller Vario, ProMix Medium or equivalent
Verspachtelung - Rigips Vario, Knauf Uniflott oder gleichwertig




X240 - UNIVERSAL KIT FOR DOOR THICKNESS - 40/50 mm

X245 - UNIVERSAL KIT FOR DOOR THICKNESS - 44-45/55 mm

X250 - UNIVERSAL KIT FOR DOOR THICKNESS - 50/60 mm

BRICK WALL INSTALLATION



	S	D
X240	40mm	50mm
X245	44-45mm	55mm
X250	50mm	60mm

A Gemetste muur + bepleistering

Mur maçonnerie + plafonnage
Brick wall + plastering
Mauerwerk + Verputzung

B Xinnix profil X2

Profilé Xinnix X2
Xinnix profile X2
Xinnix Universalzarge X2

C Slagdichting

Joint d'étanchéité
Gasket
Anschlagdichtung

D FU/ FUL profil met stelschroeven

Profil de montage FU/ FUL avec des vis de fixation
Fixing profile FU/ FUL with adjustment screws
Montageprofil FU/FUL mit Stellschrauben

E Afwerkingsprofiel XA-FIN (optioneel)

Profilé de finition XA-FIN (option)
Finishing profile XA-FIN (optional)
Fertigungsprofil Gipskarton mit Verputzecke XA-FIN (optional)

F PU schuim (Low Expansion)



Mousse PU (Low Expansion)
PU-foam (Low Expansion)
Pu Schaum (Low Expansion)

G Glasvezel Gitex (niet meegeleverd)

Fibre de verre Gitex (non inclus)
Fiberglass Gitex (not included)
Abdichtungsband Gewebe (nicht enthalten)

H Opvullaag - Jointfiller Vario, ProMix Premium of gelijkaardig

Couche de finition - Jointfiller Vario, ProMix Medium ou similaire
Finishing layer - Jointfiller Vario, ProMix Medium or equivalent
Verspachtelung - Rigips Vario, Knauf Uniflott oder gleichwertig




X1 / X2 - ACCESSORIES



XA-D70BB.CS	🔑
XA-D73WC.CS	🔧
XA-D78PZ.CS	🔑
XA-D80BB.CS	🔑
XA-D83WC.CS	🔧
XA-D89PZ.CS	🔑



XA-937



XA-998NH.CS



XA-NH003I



XA-NZ.G



XA-NZ.B



XA-NH004M
XA-NH006M



XA-NZ.W



XA-I98.CS



DIN

XA-KFV116F	
XA-KFV116BB	🔑
XA-KFV116WC	🔧
XA-KFV116PZ	🔑

ELECTRICAL COUNTERSTRIKE



XA-EL118-KFV/L
XA-EL118-KFV/R




XA-EL118-XIN
XA-EL118-KFVF




MULTIPOINT LOCK SECURITY

XA-SEC-LOCK



XA-A24.0
WIT | BLANC | WHITE | WEIß
Xinnix Selection



XA-A24.1
ALU F1
Xinnix Selection



XA-A24.2
ZWART | NOIR | BLACK | SCHWARZ
Xinnix Selection



XA-A300
WIT | BLANC | WHITE | WEIß
Xinnix Selection



XA-TE 340F1
ALU F1
S-Line




OVERHEAD DOOR CLOSER



GEZE BOXER
XA-BOXER2-4

ACTIVE STOP
XA-AS001

X1 / X2 - MEASUREMENTS



HP = Height doorpanel (max 3000mm)
 WP = Width doorpanel

Hf = Height doorframe
 Wf = Width doorframe

Hw = Opening height wall
 Ww = Opening width wall

